

Travelport Booking Feed (TBF) – Additional Triggers

Product Advisory Number:	1589												
Version:	01												
Load To Production:	Available upon request via your Travelport Account Manager												
High Level Description:	Travelport Booking Feed (TBF) will be offering additional data elements as part of the product re-launch (New as well as current customers). Travelport Booking Feed (TBF) was previously known as Galileo Integrated Data Source (GIDS).												
Impact Summary:	The additional triggers are OPTIONAL for customers not mandatory. Pre-testing for load performance will be required if additional triggers are requested. Customers must request these additional triggers via their Travelport Account Manager.												
Reason For Issue:	First notification												
Customer Impact:	<table border="0"> <tr> <td><input type="checkbox"/></td> <td>Internal Only</td> <td><input checked="" type="checkbox"/></td> <td>Developers</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>Agency Customers</td> <td><input type="checkbox"/></td> <td>Airline Customers</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>eCommerce Customers</td> <td><input type="checkbox"/></td> <td>Car, Hotel, Rail or Cruise Customers</td> </tr> </table>	<input type="checkbox"/>	Internal Only	<input checked="" type="checkbox"/>	Developers	<input checked="" type="checkbox"/>	Agency Customers	<input type="checkbox"/>	Airline Customers	<input checked="" type="checkbox"/>	eCommerce Customers	<input type="checkbox"/>	Car, Hotel, Rail or Cruise Customers
<input type="checkbox"/>	Internal Only	<input checked="" type="checkbox"/>	Developers										
<input checked="" type="checkbox"/>	Agency Customers	<input type="checkbox"/>	Airline Customers										
<input checked="" type="checkbox"/>	eCommerce Customers	<input type="checkbox"/>	Car, Hotel, Rail or Cruise Customers										
System:	<table border="0"> <tr> <td><input checked="" type="checkbox"/></td> <td>Galileo</td> </tr> <tr> <td><input checked="" type="checkbox"/></td> <td>Apollo</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Worldspan</td> </tr> </table>	<input checked="" type="checkbox"/>	Galileo	<input checked="" type="checkbox"/>	Apollo	<input type="checkbox"/>	Worldspan						
<input checked="" type="checkbox"/>	Galileo												
<input checked="" type="checkbox"/>	Apollo												
<input type="checkbox"/>	Worldspan												
Load To Copy:	Available now												
Web Services: (API and Messaging)	Not applicable												
Issue History:	Version 01												

Overview

Travelport Booking Feed (formerly known as GIDS) is a comprehensive data source that collects both pre and post ticketing data from the Apollo™ and Galileo™ host GDS systems. Through its flexible reporting and analytical capabilities, it enables travel related businesses to meet the growing needs of their customers for performance monitoring and tailored reporting.

Customer Benefit

- Current triggers will remain in place today (Initial End Transact, Itinerary change, Fare data change, Split/divide, Name field changed & Ticketing Event)
- Data captured today will remain exactly the same, however when for example a notepad item is added/changed this would cause an ADDITIONAL booking event
- Apollo (1V) – additional triggers include Ticketing remarks change, Phone/email field change, Remarks change & FOP field change
- Galileo (1G) – additional triggers include Phone/email changed, Notepad item changed, Invoice remarks changed & FOP field changed

Detail and Customer Examples

- All data captures that Travelport Booking Feed (TBF) collects is defined in the Data Definitions
- TBF Data Definitions, TBF Product Overview & TBF Installation Documentation has all been updated within ASK Travelport™
- Pre testing for load performance will be required if additional triggers are requested – both Internally & Externally

Invoice Remark XML Example (Galileo & Apollo)

```
= <GeneralInformation>
  <PNRRecordLocator>L9HPRQ</PNRRecordLocator>
  <PNRVersion>2</PNRVersion>
  <OwningCRS>1G</OwningCRS>
  <OwningAgencyPseudo>0X6L</OwningAgencyPseudo>
  <PNRCreationDate>20120727</PNRCreationDate>
  <PNRPurgeDate>20121222</PNRPurgeDate>
  <CreatingAgencyIATA>14537423</CreatingAgencyIATA>
  <OriginalBookingLocation>XDBKR</OriginalBookingLocation>
  <TPFDateTimeStamp>20120727211418</TPFDateTimeStamp>
  <TransactionAgent>E285036</TransactionAgent>
  <TransactionPseudo>0X6L</TransactionPseudo>
  <TicketNbrExistsIndicator>N</TicketNbrExistsIndicator>
  <ETicketDataExistsIndicator>Y</ETicketDataExistsIndicator>
  <IntegratedContentExistsIndicator>N</IntegratedContentExistsIndicator>
  <ADATIndicator>Y</ADATIndicator>
  </GeneralInformation>
= <PassengerInformation>
= <NameItem>
  <LastNameElementNbr>1</LastNameElementNbr>
  <NameType />
  <LastName>TEST</LastName>
= <FirstName>
  <PassengerElementNbr>1</PassengerElementNbr>
  <AbsoluteNameElementID>1</AbsoluteNameElementID>
  <Name>AA</Name>
  </FirstName>
  </NameItem>
= <Phone>
  <PhoneItemNbr>1</PhoneItemNbr>
  <CityCode />
  <Type />
  <PhoneNbr>DENA</PhoneNbr>
  </Phone>
  </PassengerInformation>
= <TravelSegments>
= <AirSegment>
  <SegmentNbr>1</SegmentNbr>
  <StatusCode>HK</StatusCode>
  <Date>20121220</Date>
  <ChangeOfDay>00</ChangeOfDay>
  <AirlineCode>DL</AirlineCode>
  <BoardPoint>ATL</BoardPoint>
  <OffPoint>FLL</OffPoint>
  <DepartureTime>0630</DepartureTime>
  <ArrivalTime>0822</ArrivalTime>
  <BookingCode>Y</BookingCode>
```

```

<FlightNbr>2352</FlightNbr>
<ChangeOfGaugeIndicator>N</ChangeOfGaugeIndicator>
<ConnectionIndicator>N</ConnectionIndicator>
<JourneyTime>00112</JourneyTime>
  </AirSegment>
</TravelSegments>
- <RemarkInformation>
- <ItineraryInvoiceRemark>
- <Keyword>3018</Keyword>
  <FreeText>1234DMF</FreeText>
  </ItineraryInvoiceRemark>
  </RemarkInformation>
- <VendorInformation>
- <VendorRecordLocator>
  <TimeStamp>2112</TimeStamp>
  <DateStamp>20120727</DateStamp>
  <VendorCode>DL</VendorCode>
  <RecordLocator>GLFD38</RecordLocator>
  </VendorRecordLocator>
  </VendorInformation>
  </BookingData>
  </BookingFareData>

```

Notepad XML Example (Galileo & Apollo)

```

- <GeneralInformation>
  <PNRRecordLocator>L9HPHS</PNRRecordLocator>
  <PNRVersion>7</PNRVersion>
  <OwningCRS>1G</OwningCRS>
  <OwningAgencyPseudo>0X6L</OwningAgencyPseudo>
  <PNRCreationDate>20120727</PNRCreationDate>
  <PNRPurgeDate>20121224</PNRPurgeDate>
  <CreatingAgencyIATA>14537423</CreatingAgencyIATA>
  <OriginalBookingLocation>XDBKR</OriginalBookingLocation>
  <TPFDateTimeStamp>20120727210505</TPFDateTimeStamp>
  <TransactionAgent>E285036</TransactionAgent>
  <TransactionPseudo>0X6L</TransactionPseudo>
  <TicketNbrExistsIndicator>N</TicketNbrExistsIndicator>
  <ETicketDataExistsIndicator>Y</ETicketDataExistsIndicator>
  <IntegratedContentExistsIndicator>N</IntegratedContentExistsIndicator>
  <ADATIndicator>Y</ADATIndicator>
  </GeneralInformation>
- <PassengerInformation>
- <NameItem>
  <LastNameElementNbr>1</LastNameElementNbr>
  <NameType />
  <LastName>TEST</LastName>
- <FirstName>
  <PassengerElementNbr>1</PassengerElementNbr>

```

```

<AbsoluteNameElementID>1</AbsoluteNameElementID>
<Name>ONE</Name>
  </FirstName>
= <FirstName>
<PassengerElementNbr>2</PassengerElementNbr>
<AbsoluteNameElementID>2</AbsoluteNameElementID>
<Name>TWO</Name>
  </FirstName>
  </NameItem>
= <Phone>
<PhoneItemNbr>1</PhoneItemNbr>
<CityCode />
<Type />
<PhoneNbr>DENA</PhoneNbr>
  </Phone>
  </PassengerInformation>
- <TravelSegments>
- <AirSegment>
= <SegmentNbr>1</SegmentNbr>
<StatusCode>HK</StatusCode>
<Date>20121220</Date>
<ChangeOfDay>00</ChangeOfDay>
<AirlineCode>DL</AirlineCode>
<BoardPoint>ATL</BoardPoint>
<OffPoint>FLL</OffPoint>
<DepartureTime>0630</DepartureTime>
<ArrivalTime>0822</ArrivalTime>
<BookingCode>Y</BookingCode>
<FlightNbr>2352</FlightNbr>
<ChangeOfGaugeIndicator>N</ChangeOfGaugeIndicator>
<ConnectionIndicator>N</ConnectionIndicator>
<JourneyTime>00112</JourneyTime>
  </AirSegment>
= <AirSegment>
<SegmentNbr>2</SegmentNbr>
<StatusCode>HK</StatusCode>
<Date>20121222</Date>
<ChangeOfDay>00</ChangeOfDay>
<AirlineCode>DL</AirlineCode>
<BoardPoint>FLL</BoardPoint>
<OffPoint>ATL</OffPoint>
<DepartureTime>0530</DepartureTime>
<ArrivalTime>0720</ArrivalTime>
<BookingCode>Y</BookingCode>
<FlightNbr>2127</FlightNbr>
<ChangeOfGaugeIndicator>N</ChangeOfGaugeIndicator>
<ConnectionIndicator>N</ConnectionIndicator>
<JourneyTime>00110</JourneyTime>
  </AirSegment>

```

```
</TravelSegments>
- <RemarkInformation>
- <GeneralRemark>
- <ItemNbr>1</ItemNbr>
  <CreationDate>20120727</CreationDate>
  <CreationTime>2105</CreationTime>
  <GeneralRemarkQualifier />
  <GeneralRemarkText>THIS IS NOTEPAD REMARK</GeneralRemarkText>
  </GeneralRemark>
</RemarkInformation>
- <VendorInformation>
- <VendorRecordLocator>
- <TimeStamp>2100</TimeStamp>
  <DateStamp>20120727</DateStamp>
  <VendorCode>DL</VendorCode>
  <RecordLocator>GLFDOM</RecordLocator>
  </VendorRecordLocator>
</VendorInformation>
</BookingData>
</BookingFareData>
```

Glossary

Term	Definition
GIDS	GIDS Galileo Integrated Data Source
TBF	Travelport Booking Feed
XML Schema	Model for describing the structure of information within an XML environment
ASK Travelport	Customer support portal: http://travelport-english.custhelp.com/

Travelport provides this document for information purposes only and does not guarantee that the information contained in this document is accurate, current or complete.

This document and the products listed herein are subject to change without notice.

© 2012 Travelport. All rights reserved. Travelport, the Travelport logo, Worldspan, Galileo and Apollo, as well as any Travelport product names referenced herein are trademarks and the property of Travelport.

Other trademarks are the property of their respective owners.